

## TC-EF200A8



### 概要

- (1) P2Pクラウドサービス、クラウド接続、クラウド監視、いつでもどこでもIPCおよびNVRにアクセスするために送信するクラウド
- (2) Onvifプロトコルのサポート、High Profile S、High Profile G、Onvif、RTSP規格に基づくさまざまなIPカメラとの互換性
- (3) メガピクセルHDネットワークビデオプレビュー、ストレージ、および再生をサポートします。
- (4) イベントによる検索、再生、バックアップをサポートします。
- (5) 1つの画面ですべてのチャンネル画像表示を同時にサポートします。  
メインストリームによる4チャンネルの画像表示、および4チャンネルの再生をサポート。
- (6) プレビューモードでのモニターPTZのサポート

## TC-EF200A8

### 仕様

Operating System	Embedded LINUX operating system	
Image Code Control	Image code quality adjustable, variable bitstream and constant bitstream optional	
Dual Stream	Each channel can set main stream and sub stream	
Video Standard	1080P(1920×1080)30fps/960P/(1280×960)/720P (1280×720)30fps	
Monitoring Image Quality	1080P(1920×1080) / 960P/(1280×960)/720P (1280×720)	
Image Motion Detection	Each screen can set multiple detection areas and set 6-level sensitivity(IPC Support)	
Recording Playback Quality	4ch playback in 4ch 720/960P mode;1ch 1080P playback in 1/4ch 1080P mode	
Region Cover	Every channel can set 4 cover regions(IPC Support)	
Recording Mode	Support manual , auto, dynamic detection, alarm trigger record mode(Partly needs IPC Support)	
Backup Way	Support U disk, USB mobile HDD, USB DVD-RW, network storage and backup	
External Ports	Video Input	a.4×(1280*720)+sub[960*576]+4Ref.+4Play Support 4ch 1MP IP camera
		b.4×(1280*960)+sub[960*576]+1Ref.+4Play Support 4ch 1.3MP IP camera
		c.4×(1920*1080)+sub[960*576]+4Ref.+1Play Support 4ch 2MP IP camera
		d.1×(1920*1080)+sub[960*576]+4Ref.+1Play Support 1ch 2MP IP camera
		e.4×(720*576)+sub[352*288]+4Ref.+4Play Support 4ch 0.4MP IP camera
	Audio Input	4ch network audio input
	Video Output	1ch VGA+1ch HDMI
	Network Port	1 RJ45,10M/100M self-adaptive LAN port
USB Port	2 USB 2.0 ports	
Wireless Port	3G,WIFI	
HDD	Mobile HDD/E-SATA/USB Disk	
Mobile Surveillance	Support( iPhone, Windows Mobile, BlackBerry, Symbian, Android) smart phone	
Power Supply	5V2A	
Power Consumption	≤10W(without HDD)	
Working Temperature	-10°C~+55°C	
Dimension	Equipment:88mm×88mm×32mm, Packing:185.5mm×115.5mm×36mm	
Weight(without HDD)	N.W.: 105g; With packing:250	

## TC-EF200A8

### 構成図

